

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	capacitive adj mat	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 09:45
S2	86	capacitive adj pad	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 09:48
S3	5	mcnally-stephen\$.in.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 09:46
S4	12	(electrostatic) near1 (mat or member or element or pad) with (hold-down holding near1 down or (attractive attract attracting) near2 (sheet media medium paper substrate))	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 15:16
S5	65247	(reverse reversed reversing or switch switched switching) near2 (charge polarity)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 15:18
S6	0	S4 and S5	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 09:57
S7	857	((361/234) or (279/128)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/15 09:58
S8	71	S5 and S7	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 12:48
S9	17	("2293887" "3359469" "3448356" "3897997" "3916270" "4224557" "4225369" "4751609").PN. OR ("5229910").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 10:23
S10	16	("3359469" "3448356" "3480364" "3634740" "3916270" "4480284" "4766515" "4861665" "4975802" "5173834" "5229910" "5260849").PN. OR ("5508086").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 10:26
S11	6	("3916270" "4752525" "4933109").PN. OR ("5260849").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 10:35
S12	2	jp-02129196-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 10:35
S13	36	("3253200" "3916270" "4184188" "4480284" "4526357" "4751609").PN. OR ("4864461").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 10:39

S14	0	jp-55020830-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 10:58
S15	0	jp-55208300-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 10:58
S16	2	jp-57058872-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 10:58
S17	4134	(electrostatic\$) near3 (held holder hold-down holding near1 down or (attractive attract attracting) near2 (sheet media medium paper substrate))	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 14:59
S18	321	S17 and S5	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 11:01
S19	286	S18 not S8	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 11:01
S20	1036	(electrostatic\$) near3 ((held holder hold-down holding near1 down or attractive attract attracting) near2 (sheet media medium paper substrate))	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 12:33
S21	55	S20 and S5 not S8	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 11:03
S22	451	(electrostatic\$) near3 ((held holder hold-down holding near1 down or attractive attract attracting) near2 (sheet media medium paper substrate))	EPO; JPO; DERWENT	OR	ON	2005/07/15 12:02
S23	30359	(reverse reversed reversing or switch switched switching) near4 (charge polarity)	EPO; JPO; DERWENT	OR	ON	2005/07/15 14:47
S24	10	S22 and S23	EPO; JPO; DERWENT	OR	ON	2005/07/15 12:17
S25	2	EP-708385-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 13:47
S26	1	("5799225").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/15 12:20
S27	300	h02n013/\$.ipc. h02n013/\$.epc.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 12:21
S28	1676	h02n013/\$.ipc. h02n013/\$.epc.	EPO; JPO; DERWENT	OR	ON	2005/07/15 14:53
S29	32	S23 and S28	EPO; JPO; DERWENT	OR	ON	2005/07/15 12:26
S30	2	WO-2004030197-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 12:26

S31	65920	(reverse reversed reversing or switch switched switching) near2 (charge polarity) or (applying or applied or apply) near1 (opposite) near1 (charge polarity)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 12:32
S32	111802	"400"/\$.ccls. or "347"/\$.ccls. or "399"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 12:33
S33	2567	S31 and S32	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 12:33
S34	1066	(electrostatic\$) near3 ((held holder hold-down holding near1 down or attractive attract attracting) near2 (sheet media medium paper substrate receiver))	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 12:34
S35	44	S33 and S34	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 12:34
S36	804076	S8 and "400"/\$.ccls. or "347"/\$.ccls. or (image)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 12:48
S37	16	S8 and ("400"/\$.ccls. or "347"/\$.ccls. or (image))	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 13:45
S38	2	jp-2003200627-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 13:54
S39	2	jp-08067095-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 13:58
S40	1	jp-06255823-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 14:04
S41	1	de-2504834-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 14:04
S42	1	("5369424").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/15 14:11
S43	408	electrostatic near1 (suction sucking)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 14:14
S44	67495	b41j\$.ipc. or b41j\$.epc. or b65h\$.ipc. or b65h\$.epc.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 14:14
S45	88	S43 and S44	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 14:12
S46	288	electrostatic near1 (suction sucking)	EPO; JPO; DERWENT	OR	ON	2005/07/15 14:14
S47	585825	b41j\$.ipc. or b41j\$.epc. or b65h\$.ipc. or b65h\$.epc.	EPO; JPO; DERWENT	OR	ON	2005/07/15 16:17

S48	0	electro-static near1 (suction sucking)	EPO; JPO; DERWENT	OR	ON	2005/07/15 14:14
S49	85	S46 and S47	EPO; JPO; DERWENT	OR	ON	2005/07/15 14:18
S50	1	jp-02243435-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 14:23
S51	1	("20050068399").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/15 14:23
S52	6	S45 and S5	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 14:30
S53	13882	(invert\$) near2 (charge polarity)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 14:34
S54	22	S17 and S53	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 14:34
S55	7735	(invert\$) near4 (charge polarity)	EPO; JPO; DERWENT	OR	ON	2005/07/15 14:41
S56	1133	S23 and S55	EPO; JPO; DERWENT	OR	ON	2005/07/15 14:43
S57	1	S22 and S55	EPO; JPO; DERWENT	OR	ON	2005/07/15 14:42
S58	3727964	sheet or paper or medium or media or substrate or receiver	EPO; JPO; DERWENT	OR	ON	2005/07/15 14:44
S59	3729839	S56 abd S58	EPO; JPO; DERWENT	OR	ON	2005/07/15 14:44
S60	95	S56 and S58	EPO; JPO; DERWENT	OR	ON	2005/07/15 14:44
S61	132	S56 and electrode	EPO; JPO; DERWENT	OR	ON	2005/07/15 14:46
S62	3688	B23Q003/15.ipc. B23Q003/15.epc.	EPO; JPO; DERWENT	OR	ON	2005/07/15 14:46
S63	36961	(invert\$ reverse reversed reversing or switch switched switching) near4 (charge polarity)	EPO; JPO; DERWENT	OR	ON	2005/07/15 15:06
S64	39	S62 and S63	EPO; JPO; DERWENT	OR	ON	2005/07/15 14:47
S65	1	gb-2162196-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 14:54
S66	2	gb-2169296-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 15:23
S67	2	jp-63318568-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 14:55
S68	2	jp-62062872-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 14:55

S69	6	("3916270" "4752525" "4933109").PN. OR ("5260849").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 14:55
S70	6	(electrostatic\$) near3 (held holder hold-down holding near1 down or (attractive attract attracting) near2 (sheet media medium paper substrate))	IBM_TDB	OR	ON	2005/07/15 15:06
S71	0	"346"/\$.ccls. and electrostatic	IBM_TDB	OR	ON	2005/07/15 15:06
S72	1239	"346"/\$.ccls. and electrostatic	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 15:06
S73	74	"346"/\$.ccls. and electro-static	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 15:06
S74	1252	S72 or S73	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 15:06
S75	75750	(invert\$ reverse reversed reversing or switch switched switching) near2 (charge polarity)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 15:16
S76	1117	(invert\$ reverse reversed reversing or switch switched switching) near2 (charge polarity) near2 toner	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 15:07
S77	63	S74 and S75 not S76	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 15:07
S78	1126	(electrostatic or electro-static) near4 ((attractor sucking suction hold-down holding near1 down or attractive attract attracting adhere adhering adhesion) near3 (sheet media medium paper substrate))	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 15:58
S79	0	((charge or charged) near1 (field)) near4 ((attractor sucking suction hold-down holding near1 down or attractive attract attracting adhere adhering adhesion) near3 (sheet media medium paper substrate))	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 15:18
S80	102407	(invert inverted inverting reverse reversed reversing or switch switched switching) near2 (charge polarity field)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 15:58
S81	81	S78 and S80	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 15:19
S82	77	S81 not chuck\$.ti.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 15:19

S83	2	ep-409596-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 15:24
S84	1	fr-2639109-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 15:24
S85	1	jp-62265527-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 15:26
S86	2	jp-05147762-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 15:29
S87	1	jp-04361073-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 15:47
S88	2	jp-61002636-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 15:46
S89	1	jp-02209334-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 15:46
S90	1	jp-03143697-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/15 15:48
S91	4	kushigata	EPO; JPO; DERWENT	OR	ON	2005/07/15 15:51
S92	2	kushigata	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 15:51
S93	32369	(invert inverted inverting reverse reversed reversing or switch switched switching) near2 (charge polarity field)	EPO; JPO; DERWENT	OR	ON	2005/07/15 15:58
S94	425	(electrostatic or electro-static) near4 ((attractor sucking suction hold-down holding near1 down or attractive attract attracting adhere adhering adhesion) near3 (sheet media medium paper substrate))	EPO; JPO; DERWENT	OR	ON	2005/07/15 16:16
S95	9	S93 and S94	EPO; JPO; DERWENT	OR	ON	2005/07/15 16:01
S96	272	electrostatic near1 attractive near2 force	EPO; JPO; DERWENT	OR	ON	2005/07/15 16:02
S97	67	(charge charged charging) and (electrode or node) with attractive near2 force	EPO; JPO; DERWENT	OR	ON	2005/07/15 16:09
S98	95	"271"/\$.ccls. and (electrode or node)	EPO; JPO; DERWENT	OR	ON	2005/07/15 16:09
S99	516	"271"/\$.ccls. and (electrode or node)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 16:09
S10 0	1153037	(charge charged charging coulomb electrostatic electro-static)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 16:10

S10 1	363	S99 and S100	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 16:10
S10 2	0	S94 and S44	EPO; JPO; DERWENT	OR	ON	2005/07/15 16:16
S10 3	105	S94 and S47	EPO; JPO; DERWENT	OR	ON	2005/07/15 16:17
S10 4	4	("4549826" "5502545" "5555076" "6309064").PN. OR ("6789888").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/15 16:38
S10 5	187	electrostatic and (printing or printer or recording or recorder or image near1 forming)	IBM_TDB	OR	ON	2005/07/18 07:44
S10 6	49	S105 and (reverse reversed reversing opposite polarity invert inverted inverting switch switching switched)	IBM_TDB	OR	ON	2005/07/18 07:48
S10 7	0	b41j\$.013/08.ipc. b41j\$.013/08.epc.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 07:51
S10 8	763	b41j013/08.ipc. b41j013/08.epc.	EPO; JPO; DERWENT	OR	ON	2005/07/18 07:52
S10 9	1300401	(electrostatic\$ or electro-static\$ or charge or charged or capacit\$)	EPO; JPO; DERWENT	OR	ON	2005/07/18 07:52
S11 0	79	S108 and S109	EPO; JPO; DERWENT	OR	ON	2005/07/18 07:55
S11 1	5	JP-04201469-\$.did. JP-09254460-\$. did. jp-2000025249-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/18 08:01
S11 2	2	jp-2003103857-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/18 08:02
S11 3	1	("6786590").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/18 08:02
S11 4	5	("4178094" "5121170" "5255904" "5530535" "6179419").PN. OR ("6786590"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 08:20
S11 5	0	jp-2003081479-\$.did.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 08:20
S11 6	2	jp-2003081479-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/18 09:22
S11 7	1	("6716495").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/18 09:21
S11 8	2	jp-2000247476-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/18 09:34

S11 9	1	("6419411").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/18 09:38
S12 0	16911	(switching or switched or switch or reverse or reversing or reversed or invert inverted or inverting) near2 (charge or field or charged or electrostatic\$ or electro-static\$)	EPO; JPO; DERWENT	OR	ON	2005/07/18 09:41
S12 1	584114	b41j\$.ipc. or b41j\$.epc. or b65h\$.ipc. or bb65h\$.epc.	EPO; JPO; DERWENT	OR	ON	2005/07/18 09:39
S12 2	331	S120 and S121	EPO; JPO; DERWENT	OR	ON	2005/07/18 09:40
S12 3	331	S122 not tonor	EPO; JPO; DERWENT	OR	ON	2005/07/18 09:40
S12 4	251	S122 not toner	EPO; JPO; DERWENT	OR	ON	2005/07/18 09:40
S12 5	69018	(switching or switched or switch or reverse or reversing or reversed or invert inverted or inverting) near2 (charge or field or charged or electrostatic\$ or electro-static\$ voltage)	EPO; JPO; DERWENT	OR	ON	2005/07/18 10:08
S12 6	960	S121 and S125	EPO; JPO; DERWENT	OR	ON	2005/07/18 09:41
S12 7	802	S126 not toner	EPO; JPO; DERWENT	OR	ON	2005/07/18 09:41
S12 8	9293	(charge or field or charged or electrostatic\$ or electro-static\$) near4 (suck sucking attract\$)	EPO; JPO; DERWENT	OR	ON	2005/07/18 09:42
S12 9	10495	(charge or field or charged or electrostatic\$ or electro-static\$) near4 (suck sucking attract\$ suction)	EPO; JPO; DERWENT	OR	ON	2005/07/18 09:59
S13 0	31	S127 and S129	EPO; JPO; DERWENT	OR	ON	2005/07/18 10:02
S13 1	2	jp-03051237-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/18 09:49
S13 2	1	jp-03005176-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/18 09:55
S13 3	1	("4751609").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/18 09:55
S13 4	2	jp-55020830-\$.did. JP-57058872-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/18 09:59
S13 5	256	S127 and (conductor electrode node)	EPO; JPO; DERWENT	OR	ON	2005/07/18 10:02
S13 6	240	S135 not S130	EPO; JPO; DERWENT	OR	ON	2005/07/18 10:03

S13 7	2	jp-2003081479-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/18 10:07
S13 8	122	S136 not ink	EPO; JPO; DERWENT	OR	ON	2005/07/18 10:07
S13 9	69018	(switching or switched or switch or reverse or reversing or reversed or invert inverted or inverting) near2 (charge or field or charged or electrostatic\$ or electro-static\$ voltage)	EPO; JPO; DERWENT	OR	ON	2005/07/18 11:46
S14 1	53519	(charge or field or charged or electrostatic\$ or electro-static\$) near4 (paper or media or medium or substrate or web or sheet or receiver)	EPO; JPO; DERWENT	OR	ON	2005/07/18 10:14
S14 2	924	S139 and S141	EPO; JPO; DERWENT	OR	ON	2005/07/18 10:10
S14 3	48	S121 and S142 not ink not toner	EPO; JPO; DERWENT	OR	ON	2005/07/18 10:13
S14 4	111802	"347"/\$.ccls. or "400"/\$.ccls. or "399"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 10:14
S14 5	141145	(charge or field or charged or electrostatic\$ or electro-static\$) near4 (paper or media or medium or substrate or web or sheet or receiver)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 10:44
S14 6	163377	(switching or switched or switch or reverse or reversing or reversed or invert inverted or inverting) near2 (charge or field or charged or electrostatic\$ or electro-static\$ voltage)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 10:46
S14 7	1720	S144 and S145 and S146	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 10:14
S14 8	171456	(electrode or node or conductor) near2 (charge charged charging or voltage or polarity)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 10:47
S14 9	651	S147 and S148	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 10:15
S15 0	72102	(weaken\$ or lessen or decreas\$) near4 (attract attraction attracting or field or strength)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 10:16
S15 1	72	S149 and S150	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 10:24

S15 2	1	("5369424").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/18 10:24
S15 3	5294	(charge or field or charged or electrostatic\$ or electro-static\$) near2 (suction sucking suck attract attracted attracting attraction held holding hold) near4 (paper or media or medium or substrate or web or sheet or receiver)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 10:46
S15 4	1940	S144 and S153	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 10:46
S15 5	282	S146 and S154	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 10:46
S15 6	371473	(electrode or node or conductor) with (charge charged charging or voltage or polarity)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 10:47
S15 7	170	S155 and S156	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 10:53
S15 8	474	(electrostatic or electro-static) near1 (belt band endless adj loop)	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 10:54
S15 9	261	S144 and S158	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 10:55
S16 0	82890	"400"/\$.ccls. or "347"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 10:55
S16 1	62	S159 and S160	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 11:41
S16 2	2	jp-62153034-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/18 11:50
S16 3	658	static\$ near3 (attract attracting attraction or retaining retainer retain retained)	EPO; JPO; DERWENT	OR	ON	2005/07/18 11:42
S16 4	82	S163 and S121	EPO; JPO; DERWENT	OR	ON	2005/07/18 11:42
S16 5	2	S139 and S164	EPO; JPO; DERWENT	OR	ON	2005/07/18 11:46
S16 6	1	jp-03005176-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/18 11:48
S16 7	0	yahakawa-fukuichiro.in.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 11:50

S16 8	1	hayakawa-fukuichiro.in.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 11:50
S16 9	0	kumakura-fumio.in.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 11:51
S17 0	14	humidty and electrostatic	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 11:52
S17 1	0	S170 and S121	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/18 11:51
S17 2	0	humidty and electrostatic	EPO; JPO; DERWENT	OR	ON	2005/07/18 11:52
S17 3	3645	humidity and electrostatic	EPO; JPO; DERWENT	OR	ON	2005/07/18 11:52
S17 4	105	S121 and S173	EPO; JPO; DERWENT	OR	ON	2005/07/18 11:54
S17 5	2	jp-10087102-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/18 12:25
S17 6	1504	(platen or support) near2 (electrostatic\$ or electro-static\$ or static\$)	EPO; JPO; DERWENT	OR	ON	2005/07/18 12:35
S17 7	9	S176 and S139	EPO; JPO; DERWENT	OR	ON	2005/07/18 12:25
S17 8	77	S176 and S121	EPO; JPO; DERWENT	OR	ON	2005/07/18 12:26
S17 9	85	(b41j011/02.ipc. b41j011/02.epc. b41j011/04.ipc. b41j011/04.epc.) and (electrostatic\$ or electro-static\$ or static\$)	EPO; JPO; DERWENT	OR	ON	2005/07/18 12:35
S18 0	77	S179 not S178	EPO; JPO; DERWENT	OR	ON	2005/07/18 12:43
S18 1	2	jp-2000246981-\$.did.	EPO; JPO; DERWENT	OR	ON	2005/07/18 14:07
S18 2	1	("6419411").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/18 14:07